

RESOLUTION NO. 40971

A RESOLUTION setting Tuesday, June 7, 2022, upon completion of Regular Agenda Items, no earlier than 5:15 p.m., as the date for a public hearing by the City Council on the 2022 Annual Amendment to the Comprehensive Plan and Land Use Regulatory Code, as recommended by the Planning Commission.

WHEREAS, each year, the City Council considers revisions to the Comprehensive Plan ("Plan") and development regulations contained in the Land Use Regulatory Code ("Code"), pursuant to the Growth Management Act ("Act"), and

WHEREAS the Planning Commission is scheduled to forward its recommendations on the 2022 Amendment to the Plan ("Amendment") in May 2022, and completing the Amendment process by the end of June would allow the City the flexibility to consider 2023 Amendments next year, while complying with the requirement of the Act, and

WHEREAS the Amendment includes four applications: (1) NewCold Land
Use Designation Change; (2) South Sound Christian Schools Land Use
Designation Changes; (3) Work Plan for South Tacoma Groundwater Protection
District Code Amendments; and (4) Minor Plan and Code Amendments, and

WHEREAS, pursuant to TMC 13.02, the City Council is required to conduct a public hearing before enacting any amendments to the Land Use Regulatory Code; Now, Therefore,



BE IT RESOLVED BY THE COUNCIL OF THE CITY OF TACOMA:

Section 1. That Tuesday, June 7, 2022, upon completion of Regular Agenda Items, no earlier than 5:15 p.m., is hereby fixed as the time, and the City Council Chambers on the First Floor of the Tacoma Municipal Building, 747 Market Street, Tacoma, Washington, or alternatively, a call in option will be provided, as the place when and where a public hearing shall be held on the Comprehensive Plan and the Land Use Regulatory Code for 2022 as recommended by the Planning Commission.

Section 2. That the City Clerk shall give proper notice of the time and place of said hearing.

adopted	-	
attest:	Mayor	
City Clerk	-	
approved as to form:		
Deputy City Attorney	-	